· INSTA-CERT ·

CERTIFICATE

Date of valid edition
2022-08-11

No:
5125

Date of first issue
2013-06-11

Name and address of certificate holder

Pipelife Sverige AB
Box 50
524 02 Ljung

Conformity mark covered by certificate

Information regarding certificate holder/manufacturer

Contact person Tommy Ericson	**Telephone** +46 513 221 00
	E-mail tommy.ericson@pipelife.com
Manufacturer Pipilife Sverige AB	**Place of manufacture** Ljung

Product covered by the certificate

Type of product	**Standard** **Normative document**	**Specific rules**
Plastics piping systems for non-pressure underground drainage and sewerage – Specifications for manholes and inspection chambers in traffic areasa and deep underground installations	EN 13598-2	INSTA-CERT SBC EN 13598-2

Specification of product

UNI PP inspection chamber, riser 315 or 425 mm and connection sizes, solid pipes 110, 160 and 200 mm, size group 1, buried outside the building structure (application area code ”U”).

Inspection chamber made from PP, riser 400 mm and connection sizes, solid pipes 110 and 160 mm, size group 1, buried outside the building structure (application area code ”U”).

The chambers may be installed to a maximum depth of 6 m from ground level and may have a maximum depth of 4 m of groundwater above invert.

Confidential information according to the enclosure.

The certificate holder above is hereby given permission to use the INSTA-CERT mark on or in connection with products, which fulfil the requirements of the standard or the normative document specified above (what is said in this document about INSTA-CERT mark will also be valid for marks defined in relevant SBC). The certificate is valid on the condition that the certificate holder complies with the ”General rules for certification by partners of INSTA-CERT” (GRC) and the specific rules applying to certification of products of the type mentioned. The certificate holder is obliged to indemnify INSTA-CERT partners of any claim for damages or any other expenses to which partners may become liable as a result of injuries caused by a product manufactured or sold by the certificate holder. This also applies to defective or faulty products.

Unless terminated, the certificate will be automatically extended for one year at a time. The certificate will be re-issued with a new “date of valid edition” only if the content and/or conditions of the certificate have been changed. Termination may take place to the end of a year subject to three months’ notice on the part of the certificate holder and the certification body. Information of valid certificates are available on INSTA-CERT homepage, www.insta-cert.net

The certificate is not transferable.

MEMBER OF INSTA-CERT

RISE Research Institutes of Sweden AB
Certification

Tomas Holm